

Gruvlok Lubricant

Safety Data Sheet

Issue Date: 2/18/14 Revision Date: 7/27/14 Version: 1

1. IDENTIFICATION

GHS PRODUCT IDENTIFIER:

Product Name

Gruvlok Lubricant

OTHER MEANS OF IDENTIFICATION:

SDS # Chemical Formula Other Information

11-4 or 11-4R1

Lubricant

DETAILS OF THE SUPPLIER OF THE SAFETY DATA SHEET:

Supplier Address Anvil International LLC 2 Holland Way, Exeter, NH 03833 Tel. 603-418-2800

EMERGENCY TELEPHONE NUMBER:

Emergency Telephone Chemtel 1-800-255-3924

RECOMMENDED USE OF THE CHEMICAL AND RESTRICTIONS ON USE: Recommended Use

2. HAZARDS IDENTIFICATION

CLASSIFICATION:

This chemical is considered non-hazardous according to the OSHA Hazard Communication Standard 2012 (29 CFR 1910.1200)

GHS CLASSIFICATION:	
Hazard categories:	Skin Irritant 3
Eye irritation:	Eye Irritant 2B
LABEL ELEMENTS:	
Signal Word:	Warning
HAZARD STATEMENTS:	
P264	Wash skin thoroughly after handling.
P332+P313	If skin irritation occurs: Get medical advice/attention.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes.
	Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313	If eye irritation persists: Get medical advice/attention.

3. COMPOSITION/INFORMATION ON INGREDIENTS

The product contains no substances which at their given concentration, are considered to be hazardous to health.

COMPONENTS

CAS No.	Chemical Name	Quantity
68606-06-4 EINECS	Mixed sodium and potassium salts of tall oil (soap)	15-25%
271-723-9		

Where range is displayed, the exact percentage (concentration) of composition has been withheld as a trade secret.





4. FIRST AID MEASURES	
FIRST AID MEASURES:	
Inhalation	Move to fresh air. If symptoms persist, call a physician.
Eye Contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. If symptoms persist, call a physician.
Ingestion	Do NOT induce vomiting. Drink plenty of water. Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately
Skin Contact	Wash off immediately with soap and water. If skin irritation persists, call a physician.
MOST IMPORTANT SYMPTOMS AND I Symptoms	EFFECTS, BOTH ACUTE AND DELAYED: orary irritation. Prolonged or repeated skin contact may cause irritation.
INDICATION OF ANY IMMEDIATE MED	DICAL ATTENTION AND SPECIAL TREATMENT NEEDED:

Note to Physicians

Treat symptomatically.

5. FIRE-FIGHTING MEASURES

SUITABLE EXTINGUISHING MEDIA:

Water. Water spray (fog). Alcohol resistant foam. Carbon dioxide (CO2). Dry chemical.

UNSUITABLE EXTINGUISHING MEDIA:

CAUTION: Use of water spray when fighting fire may be inefficient.

SPECIFIC HAZARDS ARISING FROM THE CHEMICAL:

No information available.

HAZARDOUS COMBUSTION PRODUCTS:

Sensitivity to Mechanical ImpactNoneSensitivity to Static DischargeNone

PROTECTIVE EQUIPMENT AND PRECAUTIONS FOR FIREFIGHTERS:

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Prevent runoff from fire control or dilution from entering streams, sewers, or drinking water supply.

6. ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES:

Personal Precautions	Avoid contact with the skin and the eyes. Evacuate personnel to safe areas. Use personal
	protective equipment. Keep people away from and upwind of spill/leak.
Environmental Precautions	Prevent further leakage or spillage if safe to do so. Prevent product from entering drains.
	Do not flush into surface water or sanitary sewer system. Prevent entry into waterways, sewers,
	basements or confined areas. See Section 12 for additional Ecological information.
METHODS AND MATERIAL FOR CONTAINME	NT AND CLEANING UP:
Methods for Containment	Dike to collect large liquid spills. Prevent leakage or spillage if safe to do so.
Methods for Cleaning Up	Dam up. Soak up with inert absorbent material. Place the bulk of any spilled material into
	properly labeled containers. Rinse any remaining material to sewage treatment facility.
	Clean up in accordance with all applicable regulations.



7. HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING:

Handling	Wear personal protective equipment. Avoid contact with skin, eyes and clothing. Do not breathe vapors or spray mist. Ensure adequate ventilation. Use only in area provided with appropriate exhaust ventilation. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Do not take internally.	
CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES:		
Storage	Keep containers tightly closed in a dry, cool and well-ventilated place. Keep in properly	
	labeled containers. Keep out of the reach of children.	
Incompatible Materials	Strong oxidizing agents. Strong bases.	

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

CONTROL PARAMETERS

APPROPRIATE ENGINEERING CONTROLS:

Engineering Controls	Eyewash stations Showers Ventilation systems.
INDIVIDUAL PROTECTION MEASURES, SUCH	AS PERSONAL PROTECTIVE EQUIPMENT:
Eye/Face Protection	Wear approved safety goggles.
Skin and Body Protection	Lightweight protective clothing. Chemical resistant gloves, if needed, to avoid
	prolonged or repeated skin contact.
Respiratory Protection	No special protective equipment required. If respirators are used, OSHA requires a written respiratory program that includes at least: medical certification training, fit testing, periodic environmental monitoring, maintenance, inspection, cleaning, and convenient, sanitary storage areas.
General Hygiene Considerations	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Do not eat, drink or smoke when using this product. Regular cleaning of equipment, work area and clothing is recommended.
Control Parameters	N.A.

9. PHYSICAL AND CHEMICAL PROPERTIES

INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES:

Physical State

Appearance
Odor
Color
Odor threshold

PROPERTY:

pH Melting point/freezing point Boiling point/boiling range Flash point Evaporation rate Flammability (solid, gas) Paste Off-White Paste Bland Off-white Not determined

VALUES:

≈9 < 0° C/< 32° F > 104° C/ > 220° F > 104° C/ > 220° F Not applicable Not determined **REMARKS-METHOD** 5% solution



Gruvlok Lubricant

Revision Date: 7/27/14

Flammability Limits in Air	
Upper Flammability Limits	Not applicable
Lower Flammability Limits	Not applicable
Vapor Pressure	Not applicable
Vapor Density	Not applicable
Specific Gravity	1.2
Water Solubility	Completely soluble
Solubility in other Solvents	Not determined
Partition Coefficient	Not determined
Autoignition Temperature	Not determined
Decomposition Temperature	Not determined
Kinematic Viscosity	Not determined
Dynamic Viscosity	Not determined
Explosive Properties	None
Oxidizing Properties	None
OTHER INFORMATION:	
VOC Content (%)	<5%

10. STABILITY AND REACTIVITY

REACTIVITY:

Not reactive under normal conditions

CHEMICAL STABILITY: Stable under recommended storage conditions

POSSIBILITY OF HAZARDOUS REACTIONS: None under normal processing

CONDITIONS TO AVOID: Contact with incompatible material

INCOMPATIBLE MATERIALS: Strong oxidizing agents

HAZARDOUS DECOMPOSITION PRODUCTS: Carbon oxides

11. TOXICOLOGICAL INFORMATION

INFORMATION ON LIKELY ROUTE OF EXPOSURE:

Product Information
Inhalation
Eye Contact
Skin Contact
Ingestion
Symptoms

Not a likely route of exposure Causes eye irritation May cause mild skin irritation Do not taste or swallow Direct contact with eyes may cause temporary irritation. Prolonged or repeated contact may dry skin and cause irritation.



Revision Date: 7/27/14

DELAYED AND IMMEDIATE EFFECTS AS WELL AS CHRONIC EFFECTS FROM SHORT AND LONG-TERM EXPOSURE:

Carcinogenicity

This product does not contain any carcinogens or potential carcinogens as listed by OSHA, IARC or NTP

NUMERICAL MEASURES OF TOXICITY - PRODUCT

The following values are calculated based on chapter 3.1 of the GHS document:LD50 Oral22665 mg/kg; Acute toxicity estimate mg/kg mg/L

12. ECOLOGICAL INFORMATION

EXOTOXICITY:

The environmental impact of this product has not been fully investigated.

PERSISTENCE AND DEGRADABILITY: No information available.

MOBILITY: Not determined.

OTHER ADVERSE EFFECTS:

Not determined.

13. DISPOSAL CONSIDERATIONS

WASTE TREATMENT METHODS:

Disposal of Wastes

Contaminated Packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations. Contact your supplier or a licensed contractor for detailed recommendations. Do not re-use empty containers. Disposal should be in accordance with applicable regional, national and local laws and regulations.

14. TRANSPORT INFORMATION

DOT	Not regulated
IATA	Not regulated
IMDG	Not regulated

15. REGULATORY INFORMATION

INTERNATIONAL INVENTORIES:

TSCA	All ingredients appear on inventory
DSL/NDSL	All components of this product are listed or are exempt
EINECS/ELINCS –	European Inventory of Existing Chemical Substances/European List of
	Notified Chemical Substances / not available (N.A.)
ENCS –	Japan Existing and New Chemical Substances/not available (N.A.)
IECSC –	China Inventory of Existing Chemical Substances/not available (N.A.)
KECL –	Korean Existing and Evaluated Chemical Substances/not available (N.A.)
PICCS –	Philippines Inventory of Chemicals and Chemical Substances/not available (N.A.)



Gruvlok Lubricant

Revision Date: 7/27/14

LEGEND:	
TSCA –	United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDSL –	Canadian Domestic Substances List/Non-Domestic Substances List
EINECS/ELINCS –	European Inventory of Existing Chemical Substances/European List of Notified
	Chemical Substances
ENCS –	Japan Existing and New Chemical Substances
IECSC –	China Inventory of Existing Chemical Substances
KECL –	Korean Existing and Evaluated Chemical Substances
PICCS –	Philippines Inventory of Chemicals and Chemical Substances

US FEDERAL REGULATIONS:

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 HAZARD CATEGORIES:

Acute Health Hazard	Yes
Chronic Health Hazard	No
Fire Hazard	No
Sudden Release of Pressure Hazard	No
Reactive Hazard	No

CWA (CLEAN WATER ACT):

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42): None known

CERCLA:

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302): None Known

U.S. STATE REGULATIONS

CALIFORNIA PROPOSITION 65:

This product does not contain any Proposition 65 chemicals.

U.S. STATE RIGHT-TO-KNOW REGULATIONS:

Not applicable

U.S. EPA LABEL INFORMATION

EPA Pesticide Registration Number: Not Applicable

16. OTHER INFORMATION

NFPA	Health Hazards	Flammability O	Instability 0	Special Hazards Not determined
HMIS	Health Hazards	Flammability O	Physical Hazards O	Personal Protection Not determined

Issuance Date: 18-Feb-2014 Revision Date: 27-July-2014 Revision Note: New format

DISCLAIMER

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.