.. . -

....

١,

NEW BRUNSWICK NUNAVUT	NOVA SCOTIA YUKON	ON FORM FOR THE REGISTRAT PRINCE EDWARD ISLAND NORTHWEST TERRITORIES	NEWFOUNDLAND AND LAERADOR
MANUFACTURERS NAME	Flaring TElin		
MANUFACTURERS ADDRE			
PLANT LOCATIONS:	Strandvage	in 16, 54231 Manest	
CATEGORY OF F	ITTINGS TO BE REGISTERE	n 16, 54231 Manesto D. CIRCLE ONE CATEGORY ONLY	
 A Pipe fittings, including coil B Flanges: all flanges C Valves: all line valves D Expansion Joints, flaxible E Strainers, filters, separato F Moasuring devices, incluor pressure transmitters G Certified capacity-rated policity, pressure vessels 	uplings, tees, elbows, Ys, plug connections, and hose assemt its, and steam traps ling pressure gauges, level gau ressure relief davices accentat	a, uniona, pipe capa, or reducera bilos: all types ugea, alght glasses, lovela, or pie as primary over pressure protection on	A-SME B31,3 Process Piping
N Nuclear components: Cla		J. (Meeting AECB or ASME requirements)	
SHOW MANUFACTURERS	Tek or	GO AS IT WILL APPEAR ON THE PROD	DUCT TYPE OF CONSTRUCTION FORGED WELDED WROUGHT ST CABY STOTIER D DESCRIDE OTHER:
LIST OF SUPPORTING DO	CUMENTATION AND IDENTI	FICATION OF THE ACTUAL ITEMS TO E	AF REGISTERED
my knowledge represents temperature ratings, and ic manufacture of those flitting or in part and has been ve	the product for which regist dentification markings are in gs is regulated by a Quality rifted by $LQm = 4$ (150 %)	tration is sought. The dimensions, ma	standards. I further declare that the ach plant where fabrication occurs in who for that purpose and I make this solemn and effect as if made under oath.
Declared before me at	(Affix Official seal to the rig	Notarius Publicus I Skövde	AVENTS PACA Provide Contractions Provided Co
т	This his registration must be rev	s space for Regulatory Authority use alidated after ten (10) years from the	
CRN: 0H19025.5		PROVINCE OF PRI	TEPTED NCE EDWARD ISLAND AND & ENVIRONMENT
Notes: 1. All fittings shall be regist 2. Each category shall be a forms and one copy of supp	ered in the name of the Manuf. supported with two Statutory Dr porting documentation. made by the person having ful	acturer. C.R.N occlaration DATE:	<u>9025.57</u> <u>-3 2017</u> McCober

~~, ŀ

. ...

6/17

•• . .

VEW BRUNSWICK	NOVA SCOTIA YUKON	FORM FOR THE REGISTRATIC	NEWFOUNDLAND AND LABRADOR
	ISKON	NORTHWEST TERRITORIES	
MANUFACTURERS NAME:	Manna Télimil	LAB	
MANUFACTURERS ADDRESS	s: Stranduagen		d, Sweden
PLANT LOCATIONS:	Strand vagen 1	6 54731 Majoritar	
CATEGORY OF FITT	TINGS TO BE REGISTERED, C	IRCLE ONE CATEGORY ONLY	TITLE OF THE BTANDARD OF CONSTRUCTION
A Pipe fittings, including coupli B Flanges: all flanges	ings, tees, elbows, Ys, plugs, uni	ons, pipe caps, or reducers	
C Valves: all line valves			ASME B31.3
D Expansion joints, flexible cor E Strainers, filters, separators,	nnections, and hose assemblies:	all types	
.F Measuring devices, including	g pressure gauges, level gauges,	sight glasses, levels, or	Process Piping
	sure relief devices accentable as	primary over pressure protection on	
H Pressure retaining compone	ants that do not fall into one of the	above categories	
N Nuclear components: Class	1 Class 2 Class 3 D. (M	leeting AECB or ASME requirements)	The second second second
SHOW MANUFACTURERS NA	ME, TRADEMARK, OR LOGO	AS IT WILL APPEAR ON THE PRODU	
			FORGED O WELDED O WROUGHT TO
MAININT	ek" or ":	Dirow"	DESCRIBE OTHER:
		UTA UTA	
LIST OF SUPPORTING DOCL	JMENTATION AND IDENTIFICA	TION OF THE ACTUAL ITEMS TO BE	DEGUSTEDEE
		HIGH OF THE ACTOAL TEMS TO BE	REGISTERED:
		t couplings of types	
	DDC, DAC and		
	Coupler and A	dapter	
	а. С		
DECLARATION: Lopal	(in and a second by	Haven Toluvile 12	
I Gerhard Roppl	of the end product do solemn	Mann Teluik AB and	being the person having full authority and
I <u>Gerhard</u> Lopp (responsibility for the quality of my knowledge represents the	a product for which registerile	be accord and the monnation conte	aned in this form is true and to the best of
I <u>Gertnard</u> Kopp (responsibility for the quality of my knowledge represents the temperature ratings, and iden manufacture of these fittings	e product for which registration ntification markings are in acc	on is sought. The dimensions, mate cordance with the herein named sta	aned in this form is true and to the best of grials of construction, pressure indards. I further declare that the
I <u>Gertnarc</u> Lopp (responsibility for the quality of my knowledge represents the temperature ratings, and idea manufacture of these fittings or in part and has been verifi	e product for which registratic ntification markings are in acc is regulated by a Quality Cor and by (DA & () SO () A	or is sought. The dimensions, mate cordance with the herein named sta ntrol Program which extends to eac	aned in this form is true and to the best of orlais of construction, pressure indards. I further declare that the h plant where fabrication occurs in whole
I <u>Gertnarc</u> Lopp (responsibility for the quality of my knowledge represents the temperature ratings, and idea manufacture of these fittings or in part and has been verifi	e product for which registratic ntification markings are in acc is regulated by a Quality Cor and by (DA & () SO () A	or is sought. The dimensions, mate cordance with the herein named sta ntrol Program which extends to eac	aned in this form is true and to the best of orlais of construction, pressure indards. I further declare that the h plant where fabrication occurs in whole
I <u>Germarce</u> Uspel responsibility for the quality of my knowledge represents the temperature ratings, and idee manufacture of these fittings or in part and has been verifi declaration conscientiously b	e product for which registratic ntification markings are in acc is regulated by a Quality Cor led by <u>LPO A (ISO 100 /</u> belleving if to be true, and kno	on is sought. The dimensions, mate cordance with the herein named sta	aned in this form is true and to the best of orlais of construction, pressure indards. I further declare that the h plant where fabrication occurs in whole
I <u>Germanel</u> Lopp (responsibility for the quality of my knowledge represents the temperature ratings, and Idee manufacture of these fittings or in part and has been verifi declaration conscientiously b Signature of Declarer:	e product for which registratic ntification markings are in acc is regulated by a Quality Cor led by <u>LPQ A (ISO 100 1</u> belleving if to be true, and kno	cordance with the herein named standard contraction is sought. The dimensions, mate cordance with the herein named standard reprint the herein named standard standa	aned in this form is true and to the best of orlais of construction, pressure indards. I further declare that the h plant where fabrication occurs in whole
I <u>Germand</u> Uspel responsibility for the quality of my knowledge represents the temperature ratings, and idee manufacture of these fittings or in part and has been verifi- declaration conscientiously to Signature of Declarer: <u>J</u> Declared before me at <u>Sec</u>	e product for which registratic ntification markings are in acc is regulated by a Quality Cor ied by <u>LPQA (ISO 100 /</u> belleving it to be true, and kno <u>LA</u> <u>Kovhe of Swede</u>	USET by USET by USET by USET by USET by	aned in this form is true and to the best of orlais of construction, pressure indards. I further declare that the h plant where fabrication occurs in whole
I <u>Germand</u> Uspel responsibility for the quality of my knowledge represents the temperature ratings, and Idee manufacture of these fittings or in part and has been verifi declaration conscientiously b Signature of Declarer: <u>I</u> Declared before me at <u>50</u> This <u>14</u> day of <u>14</u>	e product for which registratic ntification markings are in acc is regulated by a Quality Cor led by <u>LPQ A (ISO 100 1</u> belleving if to be true, and kno	USET 4: USET 4: USE	aned in this form is true and to the best of orlais of construction, pressure indards. I further declare that the h plant where fabrication occurs in whole
I <u>Granard</u> Uspp(responsibility for the quality of my knowledge represents the temperature ratings, and Idee manufacture of these fittings or in part and has been verifi declaration conscientiously b Signature of Declarer: <u>I</u> Declared before me at <u>50</u> This <u>14</u> day of <u>14</u> Commissioner of Oaths	e product for which registratic ntification markings are in acc is regulated by a Quality Cor ied by <u>LPQA (ISO 100 /</u> belleving it to be true, and kno <u>LA</u> <u>built</u> <u>belleving</u> it to be true, and kno <u>LA</u> <u>built</u> <u>built</u> <u>belleving</u> it to be true, and kno <u>LA</u> <u>built</u> <u></u>	USET 4 USET 4 Notarius Publicus	And in this form is true and to the best of erials of construction, pressure undards. I further declare that the h plant where fabrication occurs in whole or that purpose and I make this solemn d effect as If made under oath.
I <u>Germand</u> Uspel responsibility for the quality of my knowledge represents the temperature ratings, and Idee manufacture of these fittings or in part and has been verifi declaration conscientiously b Signature of Declarer: <u>I</u> Declared before me at <u>50</u> This <u>14</u> day of <u>14</u>	e product for which registratic ntification markings are in acc is regulated by a Quality Cor led by LROA (ISO 100 / belleving if to be true, and kno led by LROA (ISO 100 / belleving if to be true, and kno belleving if to be true, and true if to be true, and true if to be true if to be true if tob be true if to be true if to be true if tob be true if to	USET IS Skövde	And in this form is true and to the best of brias of construction, pressure undards. I further declare that the h plant where fabrication occurs in whole or that purpose and I make this solemn d effect as if made under oath.
I <u>Granard</u> Uspp(responsibility for the quality of my knowledge represents the temperature ratings, and Idee manufacture of these fittings or in part and has been verifi declaration conscientiously b Signature of Declarer: <u>I</u> Declared before me at <u>50</u> This <u>14</u> day of <u>14</u> Commissioner of Oaths	e product for which registratic ntification markings are in acc is regulated by a Quality Cor led by <u>PQA (ISO 100 (</u> belleving if to be true, and kno <u>here</u> <i>Lavelle of Suse de</i> <i>By the of Suse de</i> <i>By the of Suse de</i> <i>(Attix Official seal to the right)</i>	USETH Notarius Publicus Notarius Publicus Dirister Malm	And in this form is true and to the best of erials of construction, pressure undards. I further declare that the h plant where fabrication occurs in whole or that purpose and I make this solemn d effect as If made under oath.
I <u>Germand</u> Uspel responsibility for the quality of my knowledge represents the temperature ratings, and idee manufacture of these fittings or in part and has been verifi declaration conscientiously b Signature of Declarer: <u>Declared before me at</u> <u>54</u> This <u>14</u> day of <u>44</u> Commissioner of Oaths or Notary Public: (sign)	e product for which registration ntification markings are in account is regulated by a Quality Con- led by <u>PQ A (ISO 100 /</u> belleving if to be true, and know where of Sister de Driver by AD 200 (Affix Official seal to the right) This spa	USET HE Notarius Publicus Notarius Publicus Notarius Publicus Listor Regulator Authority use	Anded in this form is true and to the best of brias of construction, pressure underds. I further declare that the h plant where fabrication occurs in whole or that purpose and I make this solemn d effect as if made under oath.
I <u>Grvhave</u> Uspel responsibility for the quality of my knowledge represents the temperature ratings, and iden manufacture of these fittings or in part and has been verifi declaration conscientiously b Signature of Declarer: <u>J</u> Declared before me at <u>54</u> This <u>14</u> day of <u>M</u> Commissioner of Oaths or Notary Public: (sign) <u></u>	e product for which registration ntification markings are in account is regulated by a Quality Con- led by <u>PQ A (ISO 100 /</u> belleving if to be true, and know where of Sister de Driver by AD 200 (Affix Official seal to the right) This spa	USET HE Notarius Publicus Notarius Publicus Listor Regulatory Authority use aled after ten (10) years from the d	And in this form is true and to the best of brias of construction, pressure andards. I further declare that the h plant where fabrication occurs in whole or that purpose and I make this solemn d effect as if made under oath.
I <u>Germand</u> Uspel responsibility for the quality of my knowledge represents the temperature ratings, and idee manufacture of these fittings or in part and has been verifi declaration conscientiously b Signature of Declarer: <u>Declared before me at</u> <u>54</u> This <u>14</u> day of <u>44</u> Commissioner of Oaths or Notary Public: (sign)	e product for which registration ntification markings are in account is regulated by a Quality Con- led by <u>PQ A (ISO 100 /</u> belleving if to be true, and know where of Sister de Driver by AD 200 (Affix Official seal to the right) This spa	USET HE Notarius Publicus Notarius Publicus Listor Regulatory Authority use aled after ten (10) years from the d	And in this form is true and to the best of brias of construction, pressure andards. I further declare that the h plant where fabrication occurs in whole or that purpose and I make this solemn d effect as if made under oath.
I <u>Grvhave</u> Uspel responsibility for the quality of my knowledge represents the temperature ratings, and iden manufacture of these fittings or in part and has been verifi declaration conscientiously b Signature of Declarer: <u>J</u> Declared before me at <u>54</u> This <u>14</u> day of <u>M</u> Commissioner of Oaths or Notary Public: (sign) <u>This</u> <u>CRN: OH19025.5</u>	e product for which registration ntification markings are in account is regulated by a Quality Con- led by <u>PQ A (ISO 100 /</u> belleving if to be true, and know where of Sister de Driver by AD 200 (Affix Official seal to the right) This spa	USET Notarius Publicus Notarius Publicus Notarius Publicus LSKÖVde Christer Malm Sce for Regulatory Authority use ated after ten (10) years from the d	And in this form is true and to the best of brials of construction, pressure undards. I further declare that the h plant where fabrication occurs in whole or that purpose and I make this solemn d effect as if made under oath.
I <u>Grvhave</u> Uspel responsibility for the quality of my knowledge represents the temperature ratings, and iden manufacture of these fittings or in part and has been verifi declaration conscientiously b Signature of Declarer: <u>J</u> Declared before me at <u>54</u> This <u>14</u> day of <u>M</u> Commissioner of Oaths or Notary Public: (sign) <u></u>	e product for which registration ntification markings are in account is regulated by a Quality Con- led by <u>PQ A (ISO 100 /</u> belleving if to be true, and know where of Sister de Driver by AD 200 (Affix Official seal to the right) This spa	USETH Notarius Publicus Notarius Publicus LSKövdə Christer Malm South ten ten (10) years from the d	and a function form is true and to the best of prials of construction, pressure undards. I further declare that the h plant where fabrication occurs in whole or that purpose and I make this solemn d effect as if made under oath.
I <u>Grvhave</u> Uspe responsibility for the quality of my knowledge represents the temperature ratings, and ident manufacture of these fittings or in part and has been verifi- declaration conscientiously b Signature of Declarer: <u>J</u> Declared before me at <u>S</u> This <u>14</u> day of <u>M</u> Commissioner of Oaths or Notary Public: (sign) <u></u> This <u>CRN:</u> <u>0H19025.5</u> FID#: <u>15413</u>	e product for which registration ntification markings are in account is regulated by a Quality Con- led by <u>PQ A (ISO 100 /</u> belleving if to be true, and know where of Sister de Driver by AD 200 (Affix Official seal to the right) This spa	USET Notarius Publicus Notarius Publicus 1 Skövdə Christer Malm ace for Regulatory Authority use ated after ten (10) years from the d	and a function of the best of or the best of or and the best of or an and the best of or an and the best of or the best of the
I <u>Grvhave</u> Uspe responsibility for the quality of my knowledge represents the temperature ratings, and idee manufacture of these fittings or in part and has been verifi- declaration conscientiously b Signature of Declarer: <u>J</u> Declared before me at <u>Sr</u> This <u>14</u> day of <u>M</u> Commissioner of Oaths or Notary Public: (sign) <u>This</u> <u>CRN: OH19025.5</u> FID#: <u>15413</u> Notes: 1. All fittings shall be register	e product for which registration ntification markings are in acc is regulated by a Quality Cor led by <u>LPQ A (ISO foo (</u> belleving if to be true, and kno <u>La ville of Suse de</u> <u>By embry AD 200</u> (Afftx Official seal to the right) This spa is registration must be revalide ed in the name of the Manufacture	USET Notarius Publicus USET Notarius Publicus LSKÖVdə Christer Malm ace for Regulatory Authority use ated after ten (10) years from the d	and a function form is true and to the best of prials of construction, pressure undards. I further declare that the h plant where fabrication occurs in whole or that purpose and I make this solemn d effect as if made under oath.
I <u>Grvhave</u> Uspe responsibility for the quality of my knowledge represents the temperature ratings, and idee manufacture of these fittings or in part and has been verifi- declaration conscientiously b Signature of Declarer: <u>J</u> Declared before me at <u>Sr</u> This <u>I4</u> day of <u>M</u> Commissioner of Oaths or Notary Public: (sign) <u>This</u> <u>CRN: OH19025.5</u> FID#: <u>15413</u> Notes: 1. All fittings shall be register. 2. Each category shall be sup	e product for which registratic ntification markings are in acc is regulated by a Quality Cor led by <u>PQA (ISO foo f</u> belleving if to be true, and kno <u>here when of the Manufacture</u> (Affix Official seal to the right) (Affix Official seal to the right) This spa s registration must be revailed ed in the name of the Manufacture poorted with two Statutory Declar	USET H USET H USET H USET H USET H USET H Notarius Publicus Notarius Publicus ISkövde Christer Malm Ice for Regulatory Authority use ated after ten (10) years from the d Data F C.R.N. OH Dwg. S	and a din this form is true and to the best of brials of construction, pressure undards. I further declare that the h plant where fabrication occurs in whole or that purpose and I make this solemn d effect as if made under oath.
I <u>Grvhavc</u> Uspc responsibility for the quality of my knowledge represents the temperature ratings, and ident manufacture of these fittings or in part and has been verifi- declaration conscientiously b Signature of Declarer: <u>J</u> Declared before me at <u>S4</u> This <u>I4</u> day of <u>M</u> Commissioner of Oaths or Notary Public: (sign) <u>This</u> <u>CRN: OH19025.5</u> FID#: <u>15413</u> Notes: 1. All fittings shall be register 2. Each category shall be sup- forms and one copy of suppor	e product for which registratic ntification markings are in acc is regulated by a Quality Cor led by <u>PQA (ISO foa (</u> belleving if to be true, and kno <u>La ville of Suse de</u> <u>By burber</u> AD <u>200</u> (Affix Official seal to the right) This spa s registration must be revailed red in the name of the Manufactur pported with two Statutory Declar ring documentation.	USET IS Sought. The dimensions, mate cordance with the herein named sta incol Program which extends to eac i 2008) as being suitable for owing that it is of the same force an USET IS Notarius Publicus I Skövde Christer Malm ace for Regulatory Authority use ated after ten (10) years from the d Data C.R.N. OH Dwg. as ration	And in this form is true and to the best of brials of construction, pressure undards. I further declare that the h plant where fabrication occurs in whole or that purpose and I make this solemn d effect as If made under oath.
I <u>GRADAAC</u> Uspp(responsibility for the quality of my knowledge represents the temperature ratings, and ident manufacture of these fittings or in part and has been verifi- declaration conscientiously b Signature of Declarer: <u>J</u> Declared before me at <u>SA</u> This <u>I4</u> day of <u>M</u> Commissioner of Oaths or Notary Public: (sign) <u></u> This <u>CRN: OH19025.5</u> FID#: <u>15413</u> Notes: 1. All fittings shall be register 2. Each category shall be sup- forms and one copy of suppor 3. The declaration shall be my responsibility for the quality of	e product for which registration ntification markings are in acc is regulated by a Quality Cor- led by LROA (ISO 100 / belleving if to be true, and known which of Suse che Brith official seal to the right) (Affix Official seal to the right) This spans s registration must be revailed red in the name of the Manufacture ported with two Statutory Declar ring documentation. ade by the person having full aut f the and product.	USET Notarius Publicus USET Notarius Publicus LSKÖVdə Christer Malm ace for Regulatory Authority use ated after ten (10) years from the d C.R.N. OH rer. Tation Signed Jac	and a function form is true and to the best of prials of construction, pressure undards. I further declare that the h plant where fabrication occurs in whole or that purpose and I make this solemn d effect as if made under oath.
I <u>Grvhavc</u> Uspc responsibility for the quality of my knowledge represents the temperature ratings, and ident manufacture of these fittings or in part and has been verifi- declaration conscientiously b Signature of Declarer: <u>J</u> Declared before me at <u>S</u> This <u>I</u> day of <u>M</u> Commissioner of Oaths or Notary Public: (sign) <u></u> FID#: <u>15413</u> Notes: 1. All fillings shall be register 2. Each category shall be sup forms and one copy of suppor 3. The declaration shall be me	e product for which registration ntification markings are in acc is regulated by a Quality Cor- led by LROA (ISO 100 / belleving if to be true, and known which are of the state of the second (Affix Official seal to the right) (Affix Official seal to the right) This space is registration must be revailed red in the name of the Manufacture ported with two Statutory Declar ring documentation. ade by the person having full aut the end product. that be resubmitted for validation	USET Notarius Publicus USET Notarius Publicus LSKÖVdə Christer Malm ace for Regulatory Authority use ated after ten (10) years from the d C.R.N. OH rer. Tation Signed Jac	And in this form is true and to the best of brials of construction, pressure undards. I further declare that the h plant where fabrication occurs in whole or that purpose and I make this solemn d effect as If made under oath.

. . .

UNIFORM STAT	UTORY DECLARATION	FORM FOR THE REGISTRATION	ON OF FITTING DESIGNS
NEW BRUNSWICK NUNAVUT	NOVA SCOTIA YUKON	PRINCE EDWARD ISLAND NORTHWEST TERRITORIES	NEWFOUNDLAND AND LABRADOR
MANUFACTURERS NAME:	Mann Telini	1.10	
MANUFACTURERS ADDRESS		16, 54231 Manesta	ad Sunda
PLANT LOCATIONS:			
CATEGORY OF FITT	INGS TO BE REGISTERED. O	6 54231 Manestan	d, Sweden TITLE OF THE STANDARD OF CONSTRUCTION
 A Pipe fittings, including couplin B Flanges: all flanges C Valves: all line valves 	ngs, tees, elbows, Ys, plugs, un	ions, pipe caps, or reducers	ASME B31.3
D Expansion joints, flexible con E Strainers, filters, separators, i .F Measuring devices, including pressure transmitters	and steam traps		Process Piping
G Certified capacity-rated press boilers, pressure vessels, pip	oing and fusible plugs	s primary over pressure protection on	
(H) Pressure retaining componer		e above categories fleeting AECB or ASME requirements)	
SHOW MANUFACTURERS NAM	ME. TRADEMARK, OR LOGO	AS IT WILL APPEAR ON THE PRODU	CT TYPE OF CONSTRUCTION
"Mann To	ek or "	DixON"	FORGED D WELDED D WROUGHT 되 CAST 되 OTHER D DESCRIBE OTHER:
LIST OF SUPPORTING DOCU	MENTATION AND IDENTIFICA	TION OF THE ACTUAL ITEMS TO BE	REGISTERED:
	Dry Disconnee DDC, DAC and Coupler and A		L
my knowledge represents the temperature ratings, and iden manufacture of these fittings is or in part and has been verified declaration conscientiously be Signature of Declarer:	Affix Official seal to the right/	USETH USETH USETH Notarius Publicus Notarius Publicus Notarius Publicus LSKöyde Christer Maln	andards. I further declare that the sh plant where fabrication occurs in whole or that purpose and I make this solemn ad effect as if made under oath.
This	registration must be revalid	ated after ten (10) years from the d	ALC VESSEEACT
CRN: 0H19025.5		REGISTRAT	4
FID#: <u>15413</u>			H19025.57
 Each category shall be support forms and one copy of support The declaration shall be ma responsibility for the quality of 	ide by the person having full au the end product. all be resubmitted for validatior	thority and DATE: Feb	<u>1 201</u> 7 □ M
		IX FITTINGS	COMPONENTS

UNIFORM STAT	UTORY DECLARATION	FORM FOR THE REGISTRATION	ON OF FITTING DESIGNS
NEW BRUNSWICK NUNAVUT	NOVA SCOTIA YUKON	PRINCE EDWARD ISLAND NORTHWEST TERRITORIES	NEWFOUNDLAND AND LABRADOR
MANUFACTURERS NAME:	Manna Telini	LAR	
MANUFACTURERS ADDRESS		16, 54231 Hanesta	od, Sweden
PLANT LOCATIONS:	Strandvägen "	16. 54231 Maniesta	
CATEGORY OF FITT	NGS TO BE REGISTERED. C	IRCLE ONE CATEGORY ONLY	TITLE OF THE STANDARD OF CONSTRUCTION
A Pipe fittings, including couplin	iga, lees, elbowa, Ys, plugs, un	lons, pipe caps, or reducers	
B Flanges: all flanges C Valves: all line valves			ASME B31.3
D Expansion joints, flexible con	nections, and hose assemblies	: all types	
E Strainers, filters, separators, i .F Measuring devices, including	and steam traps pressure gauges, level gauges	alght glasses, levels, or	Process Piping
pressure transmitters		s primary over pressure protection on	
Dollers, pressure vessels, pr	Ding and fusible plugs		
H Pressure retaining componer			
SHOW MANUFACTURERS NAT	ME TRADEMARK OR LOGO	Meeting AECB or ASME requirements) AS IT WILL APPEAR ON THE PRODU	
		AS IT MILL AFFEAR ON THE PRODU	FORGED C WELDED C WROUGHT ST
4,	, u .		CAST ST-OTHER D
Mannti	ek" or ".	DIXON"	
LIST OF SUPPORTING DOCU	MENTATION AND IDENTIFIC	ATION OF THE ACTUAL ITEMS TO BE	E REGISTERED:
	Dry Disconne	ct couplings of types	
	DDC, DAC and		•
	Coupler and A	Adapter	
DECLARATION:	1	Han Tal	
			d being the person having full authority and tained in this form is true and to the best of
	IIIICAUON MARKINOS ARA IN A	Cordence with the borein nemed of	and and a first the state
or in part and has been verifi	ed by LROA (ISO 100	(: 2038) as being suitable f	ch plant where fabrication occurs in whole for that purpose and I make this solemn
declaration conscientiously b	elleving it to be true, and kr	nowing that it is of the same force a	nd effect as if made under oath.
Signature of Declarer:	Id lal -		
	kovele of Swed		LAST STP A GOA STILLS PUBLIC
	BRAMBER AD 20	11	PST SPACIBLE
Commissioner of Oaths	TST AU	Notarius Publicus	
or Notary Public: (sign)	and the	1 Skövde	
	(Affix Official seal to the right)	Christer Malm	SOAT2 ROAT2
	This sp	bace for Regulatory Authority use	Skovde
This	s registration must be revali	dated after ten (10) years from the	date of acceptance,
CRN: 0H19025.5			Newforunthand
		1	Labrador
FID#: <u>15413</u>			Service NL
			Registered_0419025.50
Notes: 1. All flittings shall be register:	ed in the name of the Manufact	lifar	Date 17/02/03
Each category shall be sup	ported with two Statutory Decl	aration	Engineering and Inspection Services
forms and one copy of suppor 3. The declaration shall be m	ting documentation. ade by the person having full a	utbodiy and	Registered by R.
responsibility for the quality of	the end product.		UNDER THE AUTHORITY OF THE PUBLIC SAFEY ACE AND
 Quality control programs a at a maximum interval of five 	hall be resubmitted for validation	חמ	THE BOILFR, PRESSURE VESSEL AND
ar a maximulti interval of (148	(o) years.		COMPRESSED GAS REGULATIONS

	OTONT DECLANA	TION FORM FOR TH	<u>E REGISTRAT</u>	ION OF FITTING DESIGNS
NEW BRUNSWICK NUNAVUT	NOVA SCOTIA YUKON	PRINCE EDWARI NORTHWEST TE	DISLAND	NEWFOUNDLAND AND LABRADOR
MANUFACTURERS NAME:	Manna Tel	inili AR		
MANUFACTURERS ADDRESS		gen 16, 5423	1 Manach	od, Sweden
PLANT LOCATIONS;		en 16, 54231		
CATEGORY OF FITT	NGS TO BE REGISTE	RED. CIRCLE ONE CATE	JORY ONLY	TITLE OF THE STANDARD OF CONSTRUCTION
A Pipe fittings, including couplin B Flanges: all flanges C Valves: all line valves D Expansion joints, flexible con E Strainers, filters, separators, f F Measuring devices, including pressure transmitters G Certified capacity-rated press bollers, pressure vessels, pip H Pressure retaining component N Nuclear components: Class SHOW MANUFACTURERS NAI	ags, tees, elbows, Ys, pl nections, and hose asse and steam traps pressure gauges, level sure relief devices accep ing and fusible plugs its that do not fall into or 1	lugs, unions, pipe caps, or re emblies: all types gauges, sight glasses, level otable as primary over press ne of the above categories 3 □, (Meeting AECB or AS LOGO AS IT WILL APPEA	educers s, or sure protection on ME requirements) <u>R ON THE PROD</u>	A-SME B31,3 Process Piping
		"Dixon		DESCRIBE OTHER:
LIST OF SUPPORTING DOCU	MENTATION AND IDE	NTIFICATION OF THE ACT	UAL ITEMS TO E	BE REGISTERED:
my knowledge represents the temperature ratings, and ider manufacture of these fittings or in part and has been verifi- declaration conscientiously b Signature of Declarer:	DDC, DA Coupler Coupler (see note 3) empl f the end product do product for which re tification markings ar is regulated by a Que ed by LP & A (ISC elieving if to be true,	solution is sought. The gistration is sought. The re in accordance with the ality Control Program whi 290a(122038) a and knowing that it is of 3e Clen 2016 Notariu	USET USET USET USET	nd being the person having full authority and natained in this form is true and to the best of aterials of construction, pressure standards. I further declare that the ach plant where fabrication occurs in whole for that purpose and I make this solemn and effect as if made under oath.
or Notary Public: (sign)		ne right) Christer Main	Authority use	SQV15 SQV15 i Skövde
This	registration must be	revalidated after ten (10) years from the	date of acceptance.
CRN: 0H19025.5				
FID#: <u>15413</u> Notes: 1. All fittings shall be registere	ed in the name of the Ma ported with two Statutor	anufacturer.		CRN 0H19025.51 DATE 2/15/2017

*

UNAVUT .	NOVA SCOTIA YUKON	PRINCE EDWARD ISLAND NORTHWEST TERRITORIES	NEWFOUNDLAND AND LABRADOR	
MANUFACTURERS NAME:	Marina Telin	ili AB		
MANUFACTURERS ADDRESS:		16, 54231 Mane	stad, Sweden	
PLANT LOCATIONS:	Strandvägen	16, 54231 Manes		
CATEGORY OF FITTIN	IGS TO BE REGISTERED.	CIRCLE ONE CATEGORY ONLY	HULE OF THE BYANDARD OF CONSTRUCT	
H Prossure retaining components N Nuclear components: Class 1	actions, and hose assemblie nd steam traps pressure gauges, level gauge ure relief devices acceptable ng and fusible plugs s that do not fall into one of t Class 2 C Class 3 C.	e: ell typos e, elght glasses, levels, or as primary over pressure protoction he ebove categories (Meeting AECB or ASME requirement		
HOW MANUFACTURERS NAM	E, TRADEMARK, OR LOGO	AS IT WILL APPEAR ON THE PR	RODUCT TYPE OF CONSTRUCTION	1
	k" or "		FORGED U WELDED U WROUGHT D CAST D. OTHER D DESCRIBE OTHER:	
LIST OF SUPPORTING DOCUM	ENTATION AND IDENTIFIC	ATION OF THE ACTUAL ITEMS T	O BE REGISTERED	
DECLARATION, Loplin	Coupler and	oy Hann Tehnik AB	and being the person having full authorit contained in this form is true and to the be	y an
ny knowledge represents the p emperature ratings, and identi- nanufacture of these fittings is of to part and has been verified	product for which registrat fication markings are in a regulated by a Quality Co the LCA A (SQ 700	ion is sought. The dimensions, ccordance with the herein name ontrol Program which extends to	contained in this form is true and to the be materials of construction, pressure id standards. I further declare that the beach plant where fabrication occurs in w ble for that purpose and I make this solem to and effect as if made under oath.	esto
	A LANC-			
Signature of Declarer:	Bulle of Sized	user User	HUSTSPACIA	
Signature of Declarer: Declared before me at This day of Commissioner of Oaths or Notary Public: (sign)	Anther AD Z	Notarius Publicu		
Signature of Declarer: Declared before me at This day of Commissioner of Oaths or Notary Public: (sign)	Afrix Official seal to the right)	Notarius Publicu Notarius Publicu Christer Malm		
Signature of Declarer: Declared before me at This day of Commissioner of Oaths or Notary Public: (sign) This re	Afrix Official seal to the right)	Notarius Publicu Notarius Publicu Notarius Publicu Notarius Publicu Notarius Publicu Notarius Publicu Notarius Publicu		
Signature of Declarer: Declared before me at This day of Commissioner of Oaths or Notary Public: (sign)	Afrix Official seal to the right)	Notarius Publicu Notarius Publicu Christer Malm	he date of acceptance.	Stove de
Signature of Declarer: Declared before me at This day of Commissioner of Oaths or Notary Public: (sign) This re	Afrix Official seal to the right)	Notarius Publicu Notarius Publicu Christer Malm		Stove de

li

...

۰,

۲-

- · ·

05-06-17;05:18 ;From:

EW BRUNSWICK UNAVUT		FORM FOR THE REGISTRATIO	N OF FITTING DESIGNS
MANUEAOTUBEBO HILLE	NOVA SCOTIA YUKON	PRINCE EDWARD ISLAND NORTHWEST TERRITORIES	NEWFOUNDLAND AND LABRADOR
MANUFACTURERS NAME:	Manna Telan	IL AR	
MANUFACTURERS ADDRESS		16, 54231 Manesta	d, Sweden
PLANT LOCATIONS:	Strandvägen	16, 54231 Manestad	
CATEGORY OF FITT	TINGS TO BE REGISTERED.	CIRCLE ONE CATEGORY ONLY	JITLE OF THE STANDARD OF CONSTRUCTION
H Pressure retaining compone	nnections, and hose assemblie and steam traps g pressure gauges, level gauge ssure relief devices acceptable lping and fusible plugs ents that do not fall into one of t	es: all types es, sight glasses, levels, or as primary over pressure protection on the above categories	ASME B31.3 Process Piping
N Nuclear components: Class	1 Class 2 Class 3 D	(Meeting AECB or ASME requirements)	and the second state of the second state of the
	ek er	DAS IT WILL APPEAR ON THE PRODUC	T TYPE OF CONSTRUCTION FORGED U WELDED U WROUGHT ST CAST ST OTHER D DESCRIBE OTHER:
LIST OF SUPPORTING DOCL	JMENTATION AND IDENTIFIC	CATION OF THE ACTUAL ITEMS TO BE F	REGISTERED
ny knowledge represents the emperature ratings, and iden nanufacture of these fittings or in part and has been verifi declaration conscientiously b Signature of Declarer:	the end product do solen e product for which registra ntification markings are in a is regulated by a Quality C ied by $LiQQA$ ($ISO 400$ believing if to be true, and k LiQQA ($ISO 400believing if to be true, and kLiQQA$ ($ISO 400$	into declare that the information contained information contained information contained in the information contained in the information contained in the information contained is the same set of the same force and information contained in the information contained in the information contained in the same force and information contained in the information conta	ndards. I further declare that the plant where fabrication occurs in whole that purpose and I make this solemn effect as if made under oath.
Commissioner of Oaths or Notary Public: (sign)	AD AD	Notarius Publicus	
	(Affix Official seal to the righ)Christer Malm	SOATS CAATS
ты	This s s registration must be rough	space for Regulatory Authority use lidated after ton (10) years from the da	Skovde Skovde
110	a region anon mular be reval		
CRN: 0H19025.5	Termentel	1 1 10	polors ind
		Nunavul Press	Solors and sure versets Act

۱

*

. . .